




Shining innovation for
modern buses

**NEW
INNOVATION**

Scan the QR Code
for an E-Catalogue



ALL NEW CATALOGUE

2026



for product development which consists of **VMC, Lathe, Drill Machines, Grinders etc.**

Our state-of-the-art production unit holds a capacity of 50,000 units per day. The in-house production of Paltex products is spread over 3 productions units in Delhi which covers 18000 sq. ft. with a workforce of 100 employess.

Testing and R&D

The offered range is tested on various quality parameters by our experienced quality controller team. Our lab is fully equipped with modern testing machines which includes Dust chamber, water spray testing machine, Lumen test, Hardness test equipment and various high precision testing equipment.



Vision

To emerge as one of the most respected manufacturers of Automotive parts and reach the pinnacle of customer satisfaction.

Our vision gives us the fuel to strive harder in becominng our customers' first choice.

We strike a balane between customer satisfaction and our social obligation towards the environment.



CERTIFICATE



This is to certify that

PERFECT PLASTIC (INDIA)

Basement And GFH-246, Sector-3
Bawana Industrial Area
North West Delhi-110039
Delhi
India

has implemented and maintains a **Quality Management System**.

Scope:
Manufacture & Trading of Auto Lights & Accessories.

Through an audit, documented in a report, it was verified that the management system fulfills the requirements of the following standard:

ISO 9001 : 2015

Certificate registration no. 50257906 QM15
Date of certification 2022-10-11
Valid until 2025-10-10



DQS Inc.

Brad McGuire
Managing Director



Accredited Body: DQS Inc., 1500 McConnor Parkway, Suite 400, Schaumburg, IL 60173 USA
Administrative Office: Deutsch Quality Systems (India) Pvt. Ltd., 5th Floor, Anjaneya Techno Park,
147, HAL Airport Road, Kodihalli, Bangalore - 560 017 - India
The validity of this certificate can only be verified by the QR code.

PERFECT PLASTIC (INDIA)

About Us

Established in the year 1992 by S. Narinder Pal Singh, Perfect Plastic (India), an ISO 9001:2015 certified company has emerged as a progressive manufacturer and supplier of **Automotive LED Lights & Polyurethane Suspension Bushes, Bump Stop Bushes** under the brand name Paltex. With our extensive variety of OEM and aftermarket auto replacement parts, we focus on the current market requirements keeping in mind dynamic future trends. Our foresightedness enables us to cater to the domestic and overseas markets successfully.

Infrastructure

Our comprehensive manufacturing set up and production facilities form the engine that drives our business. Ensuring the finest quality of products, we use world-class machinery which includes **Imported**

PLC Controlled Computerised Plastic Injection Molding Machines specially for Polyurethane Products and Thermoplastics, Ultrasonic Plastic Welding Machine, Hotmelt Gluing Machines, SMT led mounting machines, Reflow oven, Soldering work stations etc.



Our in-house tool room facility is well equipped



PAL-BT-1900 Black
308x197mm 12v | 24v



Pal-BT-2000 Black
350x170mm 12v | 24v



PAL-BT-1800 BLK/Beige
300x200mm 12v | 24v



PAL-BT-8802 Grey/Black/Beige
200x200mm 12v | 24v



PAL-BT-1800 (Nob Type) Grey/Black/Beige
287x124mm 12v | 24v



PAL-BT-1700 Black/Beige
355x188mm 12v | 24v



PAL-BT-203 Grey/Black/Beige
200x150mm 12v | 24v



PAL-BT-VOLVO LATEST 2026 Black
370x200mm 12v | 24v



PAL-DL- 355 Grey/Black/Beige
176x92mm 12v/24v



PAL-DL- 462 Grey/Black/Beige
230x86mm 12v/24v



PAL-DL- 558 Grey/Black/Beige
178x90mm 12v/24v



PAL-DL- 900 ROBUST Black
195x120mm 12v/24v



PAL-SL- 160W/Ring Grey/Black/Beige
93mm



PAL-SI- 771 TY-2 YYY/YBY
112x50mm 12v/24v



PAL-SI- 780 LEFT / RIGHT
190x50mm 12v/24v



NEW

PAL-TL- VESPA

130 x 143 mm 12v/24v
R/Y/W



PAL-TL-219 TY-3

192x105mm 12v/24v
R/Y/W



Approved
as per
BUS code

PAL-TL-147 TY-5

130x130mm 12v/24v
R/Y/W



PAL-TL-433

128mm 12v/24v
R/Y/W



PAL-TL-VOLVO 9600 MULTI AXLE

12v/24v



PAL-9600 Front Volvo DRL

WITH MATRIX INDICATOR

300X295mm 12v/24v



FRONT DRL WEGA OM LEFT / RIGHT



PAL-SEAT-1010
110X45mm 12v/24v



PAL-SEAT-1011
153X104mm 12v/24v



PAL-SEAT-1012
400x75mm 12v/24v

**PAL-SHOE RACK**

475X295x150 mm

**Rear View Mirror With
Matrix Led Indicator**

Size : 395x 200 mm

ROOF LIGHT**PAL-RL-M11**

68mm 12v/24v



PAL-HB-2639

Cut-Out Dimensions: 970mm x 530mm

Material: Durable ABS Body & Metal Frame

Mechanism: Reliable Dual Hinge Mechanism

Opening: Opens Up to 120 Degrees

Variants: Available with or without Exhaust Fan



PAL-HB-1926

EMERGENCY EXIT ROOF HATCH

Cut-Out Dimensions: 475mm x 675mm

Material: Fully ABS Plastic Moulded

Mechanism: Easily Operable Dual Hinge System

Opening: Opens Up to 145 Degrees

Variants: Available with or without Exhaust Fan



PAL-HB-2222

VENTILATION ROOF HATCH

Cut-Out Dimensions: 490mm x 490mm

Material: ABS Plastic Ring with Metal Body

Mechanism: Easily Operable Dual Hinge System

Opening: Opens Upto 100mm



The image is a vertical split-screen photograph of an empty stadium. The left half is tinted with a deep blue color, while the right half is tinted with a vibrant red. Both sides show rows of empty plastic seating stretching into the distance under bright, recessed ceiling lights. The perspective is from the side of the seating area, looking down the length of the stadium.

INDOOR ITEMS



PAL-RL-800 CW/WW/MC
120 MM 12V/24V




PAL-RL-700 CW/WW/MC
120 MM 12V/24V



PAL-RL-6602 CW/WW/MC
168 MM 12V/24V



PAL-RL-7702 CW/WW/MC
168 MM 12V/24V



PAL-RL-M7 CW/WW/R/Y/GR/P/B
60 MM 12V/24V





PAL-RL-600 (Donut)

COLOUR :Multi Border

Size : 110mm Dia



PAL-RL-7000

COLOUR :Multi / Blue Border

Size : 380x95mm



PAL-RL-V66

Size : 180 mm



Step Light Oval




PAL-RL-V4

Size : 90mm Round




PAL-RL-V7

Size : 100x100mm



PAL-RL-M9

Size : 74x74mm



PAL-RL-1001 O/P/G/Y/B
200 MM DIA 12V/24V




PAL-RL-7701 MC/B
204X204 MM 12V/24V

New Launched



PAL-RL-5101 N/M
400X115 MM 12V/24V



PAL-RL-123 M/C
380X132 MM 12V/24V



PAL-RL-205 SOFA LIGHT
150X75 MM 12V / 24V



PAL-RL-V88 w/USB
175X64 MM 12V / 24V



New Launched

PAL-RL-V22
110X73 MM 12V/24V



PAL-RL-V44 SKT
110x75mm 12v|24v



PAL-RL-V55 SKT
150x83mm 12v|24v




PAL-RL-V99 W/NL
130X85 MM 12V/24V



PAL-RL-V77
179x87mm 12v|24v



PAL-RL-4500
202x112mm 12v|24v



PAL-RL-2500
203x100mm 12v|24v



PAL-RL-3100/3200 W/S & 180x90mm 12v|24v W/OS



PAL-RL-V5 O|M 150x85mm 12v|24v



PAL-RL-3100 N|M 178x90mm 12v|24v



PAL-RL-2900 6" Unbreakable 152x32mm 12v|24v



PAL-RL-2800 9" Unbreakable 233x32mm 12v|24v



Approved
as per
BUS code

PAL-RL-2600 N|M
102x102mm 12v|24v



PAL-RL-2100 N|M
90x90mm 12v|24v



PAL-RL-V11 Square
80mm 12v|24v



PAL-RL-2100/2200 W/S and W/OS
90x90mm 12v|24v



Approved
as per
BUS code




PAL-RL-2700
90x90mm 12v|24v



PAL-RL-V2 N|M
167mm 12v|24v



**PAL-RL-Center
Switch**
93mm 12v|24v



PAL-RL-6900
93mm 12v|24v



PAL-Spot Light
W|WW|Blue
57mm Dia 12v|24v




PAL-RL-V2 O|M
R|Y|W|B|P|AC
81mm 12v|24v




PAL-RL-PCR V9 N|M
80mm Dia 12v|24v




PAL-RL-6000 400x115mm 12v|24v




PAL-RL-6000 N|M 400x115mm 12v|24v



PAL-RL-5400 400x115mm 12v|24v



PAL-RL-5100/5200 400x115mm 12v|24v



PAL-RL-Audi Type 400x125mm 12v|24v



PAL-RL-5100/5200 CR/GR 400x115mm 12v|24v



PAL-RL-122 386x107mm 12v|24v



PAL-RL-182 Slim W|R|G|Y|B|P 300x42mm 12v|24v




PAL-RL-8900 335x65mm 12v|24v



PAL-RL-8900 Spectra 12v|24v




Approved
as per
BUS code




PAL-RL-5300 Steel Base/Plastic Base
394x134mm 12v|24v



PAL-RL-5900 White|Wooden
386x137mm 12v|24v



PAL-RL-6100 White|Wooden
395x100mm 12v|24v



PAL-RL-6100 Wooden
395x100mm 12v|24v



PAL-RL-9800 200x141mm 12v|24v



PAL-RL-128 294x143mm 12v|24v



PAL-RL-6300 320x116mm 12v|24v




PAL-RL-112
168mm 12v|24v



PAL-RL-8300 SKT
93mm 12v|24v



PAL-RL-1000 N/M
145 MM 12V/24V



PAL-RL-1000 O|M
167mm 12v|24v



PAL-RL-1400
240mm 12v|24v




PAL-RL-Flower 127
Multi-Colour
155mm Dia 12v|24v



PAL-RL-7700 204x204mm 12v|24v



PAL-RL-9900 190x190mm 12v|24v



PAL-RL-6600/6500
240mm 12v|24v



PAL-RL-9000
237mm 12v|24v



PAL-RL-Merc Type
238mm Dia 12v|24v

Approved
as per
BUS code




PAL-RL-7300 Unbreakable
362x28mm 12v|24v



PAL-RL-5700
300x116mm 12v|24v



PAL-RL 163 514x100mm 12v|24v



PAL-RL-7100 410x122mm 12v|24v Full PC Glass



PAL-RL-4200 23" 582x40mm 12v|24v



PAL-STRIP LIGHT Plastic 32mm (Length as per requirement) 12v|24v



PAL-STRIP LIGHT Aluminium 55mm Width (Length as per customer Maximum 65") 12v|24v

New Launched



PAL-BT-1700 12V/24V
355x188MM
GREY/BEIGE
WITH SEAT No.



PAL-AC Tray 1600 Grey/Beige
287x124mm 12v/24v




PAL-AC Tray 800 Grey/Beige
163x124mm 12v/24v



PAL-AC Tray 8801 Grey/Beige
With seat no. display
200x200mm 12v/24v



PAL-AC TRAY-606
With seat no. display
370X200 MM 12V/24V



PAL-AC TRAY-SPACER/CONNECTOR


With seat no. display



PAL-BT 8X8 N|M Biege
228x198mm



PAL-BT 8X8 O|M CR|BK
200x200mm



PAL-BT-555
300x210mm Blue|Grey|CR



PAL-BT-Scania Type
300x200mm Blue|Grey



PAL-BT-111 Wood|CR|GR
370x200mm




PAL-BT-404 Biege|Grey
370x200mm 12v|24v



Approved
as per
BUS code

PAL-BT-TATA Beige
415x217mm 12v|24v



Approved
as per
BUS code

PAL-BT-Volvo N|M Grey
370x200mm 12v|24v



Approved
as per
BUS code

PAL-AC Tray 1100 CR|Grey
370x200mm 12v|24v




Approved
as per
BUS code

PAL-AC Tray 1200 CR|Grey
304x200mm 12v|24v



Approved
as per
BUS code

PAL-BT-777
360x200mm




Approved
as per
BUS code

PAL-AC Tray 999
350x200mm CR|Grey



PAL-AC Tray 666
350x200mm CR|Grey|Wooden




PAL-BT 222
370x200mm CR|Grey|Wooden



PAL-AC Tray 444
345x230mm CR/Wood|Blue Top



PAL-AC Tray 151 CR|Grey
370x200mm



PAL-AC Tray 123 Small
315x160mm



PAL-BT-1500 Black|CR|White
375x135mm



PAL-BT-Dumble Black
325x135mm 12v|24v

New Launched



PAL-SL- 162
Size : 110X85mm
B/G/CR



PAL-SL- 160
Size : 91X91mm
B/G/CR



**PAL-SL- 155 TYPE-2
WITH AMBIENT LIGHT**
Size : 95mm x 95mm
B/G/CR



PAL-SL- 155 TYPE-2
Size : 95mm x 95mm
B/G/CR

NEW!



PAL-SL- 158 FLAP TYPE
Size : 90X90mm

NEW!



PAL-SL- 159 NOB TYPE
Size : 90X90mm



PAL-SL Flap Type N/M
BG/BK/GR
Size : 97x97mm

Approved
as per
BUS code

Approved
as per
BUS code




PAL-SL-155 BG|BK|GR
95x95mm

Approved
as per
BUS code



PAL-SL-159
BG|BK|GR
110x97mm 12v|24v

Approved
as per
BUS code



PAL-SL-156
BK|CR
123x116mm 12v|24v



PAL-SL-900 ROBUST

Size : 195x120 mm
B/G/CR



PAL-SL- TURKEY TYPE

Size : 121X207 mm
B/G/CR



PAL-DL-362

Size 166x85 mm
B/G/CR




PAL-DL-455

Size 192X85 mm
B/G/CR



PAL-SL-156- TYPE-2

Size : 102mm Round
With touch light



**PAL-SL - RECTANGLE
WITH TOUCH LIGHT**

SIZE : MM
B/G/CR



PAL-FF- RECTANGLE

W/O PLATE SIZE : 119X59 MM
B/G/CR



PAL-FF- RECTANGLE

WITH PLATE SIZE : 122X62 MM
B/G/CR

NEW!



PAL-DL- 458 N/M
175x90mm 12v/24v

NEW!



PAL-DL- 356 N/M (FLAT TYPE)
BK | CR | GR
175x90mm

Approved
as per
BUS code



PAL-DL-356 BK|CR|GR
175x90mm



PAL-DL-22
200x150mm 12v/24v



PAL-Sleeper Light
N|M Biege|Black
220x91mm 12v/24v



PAL-DL-359
175x90mm 12v/24v

Approved
as per
BUS code



PAL- Double Loover 255
Black|CR 185x95mm

Approved
as per
BUS code



PAL-DL 358
N|M Biege|Grey|Black
175x90mm



PAL- Double Light LED 255
Black|CR 185x95mm



PAL-DL-256
Biege|Wooden|Grey
254x137mm 12v/24v

New Launched



PAL-FF- NEW MODEL

SIZE : 68 MM DIA
B/G/CR



PAL-FF-BALL BEARING TYPE

SIZE : 80 MM DIA
B/G/CR



PAL-FF-SMALL
BG|GR|BK 55mm



PAL-FF BG|GR|BK
70mm




PAL-FF Revolving
GR70mm



PAL-FF-BALL TYPE N/M
Size : 74mm Round



**PAL-Free Flow AC Vent
Shutter Type**
BK|BG|GR 140x58mm



PAL-Free Flow AC Vent
BK|BG|GR
190x40mm



PAL-Free Flow AC Vent
BK|BG|GR
122x30mm



PAL-Free Flow
BLK|CR|GR



PAL-AC VENT-300
With Open-Close Nob
200X40 MM



INDICATORS & MARKERS

concept



PAL-SI-771

112X50 MM 12V/24V
W/ R / YBY / Y



PAL-SI-4601 12V/24V

SIZE :115X56mm
R/G/Y/B/W/P/YBY Waterproof



PAL-SI-776 12V/24V

SIZE :125x45mm
R/Y/W Waterproof



PAL-SI-187 12V/24V

SIZE :145X54 mm
YBY/WBW Waterproof



PAL-SI-811 12V/24V

SIZE :150x48mm
W/R/Y Waterproof




PAL-SI-3602 SIZE :98x40mm R/G/Y/B/W/P Waterproof 12V/24V




PAL-SI-186
145X54 MM 12V/24V
WBW/YBY/YYY



PAL-SI-185
134X60 MM 12V/24V
WBW/YBW/YYY



PAL-SI-772
131X32 MM 12V/24V
YELLOW/WHITE



PAL-SI-773 TYPE-2 MERC NM
112X44 MM 12V/24V
YELLOW/WHITE/RED



PAL-SI-786
125X45 MM 12V/24V
R/G/M/B/P/WBW/YBY/YYY



PAL-SI-3700
W/Switch
110X40 MM 12V/24V




PAL-SI-4600 V-Type N/M
114X55 MM 12V/24V
WBW/YBW/YYY



PAL-SI-BULL HEAD
114X55 MM 12V/24V
W/Y/YBY/WBW/YYY




PAL-SI-PANTHER
145X54 MM 12V/24V
YBY/WBW



PAL-SI-3600 SLIM 18 LED
98X40 MM 12V/24V
Water Proof R/G/Y/W/P/B



PAL-SI-506 Chrome Body Y|W|G|M|B|R 130x50mm 12v|24v



YBY



PAL-SI-505 Black Body Y|W|G|M|B|R|YBY 150x31mm 12v|24v




YBY




PAL-SI-507 Black Body Y|W|G|M|B|R 130x50mm 12v|24v



YBY



PAL-SI-507 Chrome Body Y|W|G|M|B|R|YBY 130x50mm 12v|24v




YBY



PAL-SI-506 Black Body Y|W|G|M|B|R|YBY 130x50mm 12v|24v



YBY



PAL-SI-161 Chrome Body Y|W|G|M|B|R 130x44mm 12v|24v




PAL-SI-509 R|G|Y|B|W|P|YBY 100x40mm 12v|24v

YBY




PAL-SI-Arrow 501 Y|W|G|M|B|R 100x55mm 12v|24v




PAL-Eye Cat SMD Slim 129 NO. Y|W|G|M|B|R 85x69mm 12v|24v



PAL-'S' Bus Chrome Body SD54 Y|W|G|M|B|R 160x50mm 12v|24v



PAL-SI-1200 Cabin Light Water Proof Y|W|G|M|B|R 92x32mm 12v|24v



PAL-SI-SP 3600 Water Proof Y|W|G|M|B|R 100x40mm 12v|24v



PAL-SI-SP 3600 Water Proof Y|W|G|M|B|R
FLASHING ALL COMBINATION 100x40mm 12v|24v




PAL-SI 8200 DRL Y|W|G|M|B|R
112x39mm 12v|24v




YBY




PAL-SI 3600 DRL (Top Volvo)
Y|W|G|M|B|R 100x40mm 12v|24v



PAL-SI-3600 O|M R|G|Y|B|W|P 100x40mm 12v|24v




PAL-SI-4600 Flashing Type O|M R|G|Y|B|W|P 114x55mm 12v|24v



PAL-SI-SKT 3600 R|G|Y|B|W|P Waterproof 98x40mm 12v|24v



PAL-SI-777 R|G|Y|B|W|P
95x20mm 12v|24v




PAL-SI-4600 SKT Water Proof R|G|Y|B|W|P
114x55mm 12v|24v



PAL-SI-778 White Body R|G|Y|B|W|P 125x46mm 12v|24v



PAL-SI 709 DRL (Top Volvo)
W|Y|R & Multi-Colour 136x48mm 12v|24v




PAL-Step/Cabin Light 1200 R|W|G|Y|B 91x33mm 12v|24v




PAL-Side Marker Eye Type (774) R|W|G|Y|B 127x45 12v|24v



PAL-SI-'S' BUS Chrome Body O|M R|G|Y|B|W|P 172x52mm 12v|24v



95x20mm 12v|24v Y|W|G|M|B|R|YBY **PAL-SI-510 Black Body**




PAL-Side Marker MERC Type Led Flat Base
Y|W|R 112x24mm 12v|24v



PAL-SI-IDRL 774
R|G|Y|B|W|P 130x50mm 12v|24v



PAL-SI-775 W|Y
63mm 12v|24v



PAL-MARCOPOLO LIGHT R|W 70mm 12v|24v



52mm 12v|24v W **PAL-Volvo Lattu**

New Launched



PAL-SI-28 LION

Water Proof
R|G|Y|B|W
262x70mm 12v|24v



PAL-SI-28 B DRL

Big Water Proof
R|G|Y|B|W
262x70mm 12v|24v



PAL-SI-28 B DRL MC/ Y

Small Water Proof
R|G|Y|B|W
185x60mm 12v|24v



PAL-SI-SKT 183 WBW|YBY
145x53mm 12v|24v




PAL-SI-SKT 182 WBW|YBY
145x53mm 12v|24v




PAL-SI-28B BIG R|W|Y
265x70mm 12v|24v



PAL-SI-28B Small LED Flat Type
R|W|Y 185x60mm 12v|24v




PAL-SI-28B Small LED Flat Type Flashing RB|RG|GB|YB
185x60mm 12v|24v




PAL-EC Triangle R|G|Y|B|W 80mm 12v|24v



PAL-V3 R|G|Y|B|W 80mm 12v|24v



PAL-SI-EC 507 R|G|Y|B|W|P
95x55mm 12v|24v
With Switch/Without Switch



PAL-SI-510 Y
170x40mm 12v|24v



PAL-Small Mouse 12v|24v



PAL-SI-122 Mouse R|Y|WR 140x81mm 12v|24v



PAL-Front Head Spot Light
12v|24v



PAL-SI-Star Bus Type
771 No. 12v|24v



PAL-Murgan Light Type 1 O|M
R|G|Y|B|MC 12v|24v

PAL-Murgan Light Ball Type 2
R|G|Y|B|MC 12v|24v




PAL-Eye Cat 407 LED R|W|Y|B|G|MC 12v|24v



PAL-Sweet Heart Small Y|R|B|W|G 64mm 12v|24v

A close-up photograph of the rear of a yellow vehicle, focusing on the tail light assembly. The assembly consists of several vertical light bars: three red ones at the top and two white ones below them. A small rectangular red light is visible on the lower left. The text "TAIL LIGHTS" is overlaid in yellow on a white background to the right of the lights. A small badge with the word "Dodge" is visible on the left side of the vehicle's body.

TAIL LIGHTS




**Tail Light Plasma N/M
With Matrix**



PAL-TL-519
Size : 280x100mm




L-DRL
Size : 160x100mm
Matrix Option Also Available




PAL-TL-419
235X100 MM 12V/24V
R/Y/W




PAL- TL - 8601
Size : 100mm Round



Tail Light 009 N/M
Size : 125mm Round



PAL-TL-219
192X105 MM 12V/24V
R/Y/W



PAL-TL-347
170X143 MM 12V/24V
R/Y/W



PAL-TL-219/2
192X105 MM 12V/24V
R/Y/W



PAL-TL-147/4 N/M
130X130 MM 12V/24V
R/Y/W



PAL-TL-147/3 N/M
130X130 MM 12V/24V
R/Y/W

PAL-TL-GC10000 SERIES PLASMA




389X104 MM




200X40 MM



138.5X40 MM




PAL-TL-133 DRL W|R|Y
128mm 12v|24v



PAL-TL-133 MC
W|Y|R
128mm 12v|24v



PAL-TL-122 DELUXE
W|Y|R
120mm 12v|24v



PAL-TL-168 DRL N|M W|R|Y
128mm 12v|24v



PAL-TL-133 DRL N|M W|R|Y
128mm 12v|24v



PAL-TL-009 Flat Type 8700 No.
W|R|Y 128mm 12v|24v




TAIL LIGHT 004 LED Flat Type 8600 No.
Y|W|R 98mm 12v|24v



PAL-TL-235 DUAL DRL
100 MM 12V/24V
R/Y/W




PAL-TL-233 DUAL DRL
128 MM 12V/24V
R/Y/W




PAL-TL-137 Bulb Type O|M
130x130mm 12v|24v W|R|Y



PAL-TL-Deluxe-146 No.
100mm 12v|24v Y|W|R



PAL-TL-135DRL W|R|Y
100mm 12v|24v




PAL-TL Rynder Type
95mm Y|W|R




PAL-TL Type 5 W/Ring
120mm 12v|24v Y|W|R



TAIL LIGHT Type 5 W/Ring W/LED
120mm 12v|24v Y|W|R




PAL-TL-009 DRL Bulb Type
128mm 12v|24v Y|W|R



PAL-TL-SCANIA W|Y|R
82mm 12v|24v



PAL-TL-6800 LED Flat Type Y|W|R
185x130mm 12v|24v



PAL-TL-134 DRL W|Y|R
185x128 12v|24v



PAL-TL-147 W|Y|R
130x130mm 12v|24v




PAL-TL-147 'X' TYPE N|M W|R|Y
130x130mm 12v|24v




PAL-TL-154 Combined R
127x100m 12v|24v



PAL-TL-154 W|Y|R
127x160m 12v|24v




PAL-TL-154 B Ambulance Light
127x160m 12v|24v



PAL-TL-119 Flat Type W|R|Y
160x120 12v|24v



PAL-TL-171 Flat Type W|R|Y
160x120 12v|24v



PAL-TL-119 Bulb Type O|M
160x120 12v|24v
W|R|Y



TAIL LIGHT
Volvo Multi-Axle



TAIL LIGHT 978
27"

New Launched



PAL-BL-2000 Flat Type
Size : 900 mm

405mm

455mm

405mm



PAL-BL-Talwar Set of 3 1265mm



PAL-BL-Long
800x32mm 12v|24v
N|M R



PAL-BL-778 R
165x27mm 12v|24v



PAL-BL-5700 DRL
285x45mm 12v|24v
N|M R|Y



PAL-BL-5700
285x45mm 12v|24v
R|Y

A green-tinted photograph of a white motorhome. The vehicle is shown from a side-front perspective. Inside, a family is visible: a woman in the driver's seat, a young girl in the front passenger seat, and a man in the back. The motorhome has a large side mirror and a 'Palitex' logo on the side. The word 'ACCESSORIES' is overlaid in a white box with green text in the center.

ACCESSORIES

Palitex

New Launched



QC PD USB



Dash Board Usb



Seat Usb



QC PD USB



QC QC DUAL USB



PAL-USB N|M
80x60mm



PAL-USB N|M
80x60mm



Led Strip Light
5 Mtr. Roll (120 LED Per Mtr.)
Colour : R / GR / B / Y / P / WW / CW / ICE BLUE



Front Headlight DRL
With Matrix Indicator
Size : 280mm



Mobile Pouch
With Ceramic Socket N/M
Size : 165x110mm



PAL-Mobile Holder
with Socket CR|BK

New Launched




Berth Light Slim
Size : 400x75mm



Seat No. Light (Small)
Size : 110x45mm



PAL-Mobile Pouch CR|BK
120x93mm



MOBILE HOLDER
With USB



PAL-Magazine Holder
245x177mm GR




PAL-Grab Handle Revolving Type
GR|Y Marco Polo Type



PAL-Grab Handle
Marco Polo Type



PAL-Grab Handle
Advertisement Type ADV 801



PAL-Number Plate Light-145
12v|24v 80x40mm



PAL-SEAT BOARD LIGHT
12v|24v 514x100mm



WOODEN BUS SEAT HANDLE
310 MM



PAL-Dolphin Handle
Full Plastic



PAL-Spot Light
112mm 12v|24v W|Y




PAL-Spot Light
85mm 12v|24v W|Y



PAL-Foot Step-701
230x172mm




PAL-First Aid Box-703
230x150x58mm



PAL-Magazine Pouch
O|M 303x175m



PAL-Coach Fan Brush Less
W/O Carbon BR|BL
9" 12v|24v





Approved
as per
BUS code

**PAL-Glass
Breaking
Hammer-502**



PAL-Bottle Holder



PAL-Bus Seat Handle
Size 12"

**Pipe Holding
Clamps**



Approved
as per
BUS code

PAL-PMC-809 Y|GR
Driver Clamp 30mm



Approved
as per
BUS code

PAL-PMC-808 Y|GR
Plastic Shoe BKT 32mm



Approved
as per
BUS code

PAL-PMC-806 Y|GR
Roof Grab BKT Open



Approved
as per
BUS code

PAL-PMC-806 Y|GR
Roof Grab BKT Close 32mm



AUTOMOTIVE PARTS

PERFECT PLASTIC (INDIA)

Corporate Office

H 246, Sector 3
Bawana Industrial Area
Delhi 110039, INDIA

Unit 2

NJ 222, Sector 3
Bawana Industrial Area
Delhi 110039, INDIA

Unit 3

902/290, Street 4
Village Shalimar Industrial Area
Delhi 110088, INDIA

Customer Care

+91 9811184422+91 9810190479,
+91 9716148321

email: ipsinghgulati@yahoo.com

Web: www.paltex.co